

VCS APU Accessory Kits/Tools/Upgrade Kits


THESE AVAILABLE THROUGH VCS APU DEALERS

Customer Service 1-817-293-3331 Mon-Fri. 8-5 Central Time

PART NAME	COMMENTS
<p>CRANK SEAL PROTECTOR (RUBBER PLUG)</p>  <p>P/N 024-00089</p>	<p>Expansion plug that is fitted in the round casting opening on the front gear case cover of the Kubota engine.</p>
<p>POWER LINE VOLTAGE CONDITIONER</p>  <p>P/N 030-00163</p>	<p>This device is important for those who want assurance of a regulated flow of electricity and avoid spikes in power surges. Much like a home computer that would plug into a surge protector during a storm. Easy installation is by simply plugging in! Has a 1800 watt capability and 6 plug outlets for laptops, cell phone chargers, etc.</p>
<p>DUCT TOWER 90° HOSE ADAPTER W/3" COLLAR</p>  <p>P/N 060-00631</p>	<p>Connector piece that clips on to the bottom of a grey vertical tower. Connects the flex hose from the blower assembly to the duct towers.</p>
<p>DUCT TOWER EXTENSION UNION</p>  <p>P/N 060-00646 BLACK</p>	<p>Easily connects two vertical grey tower pieces together for added height and better air delivery in tall condo sleepers.</p> <p>Also available in grey color. 060-00766</p>
<p>ANGLED DUCT 90 degree HOSE ADAPTER</p>  <p>P/N 060-00647 BLACK</p>	<p>This part allows for increased flexible solutions for duct tower installations.</p> <p>Also available in grey 060-00768.</p>

<p>DUCT TOWER ADAPTER (90° ELBOW FLAT)</p>  <p>P/N 060-00648</p>	<p>This part allows for increased flexible solutions for duct tower installations.</p>
<p>ROUND 3" AIR FLOW LOUVER</p>  <p>P/N 062-00713</p>	<p>This part is normally installed at the floor level, but sometimes used for installations when an air hose is routed up high inside a clothes closet.</p>
<p>PLASTIC INTERIOR WIRE HARNESS COVER</p>  <p>P/N 060-00728</p>	<p>Use this part for covering visible wire harnesses that sometimes travel down the upholstery in the bunk. Makes the installation look factory nice with its grey color.</p>
<p>DUCT TOWER EXTENSION-GREY COLOR</p>  <p>P/N 060-00766 Grey</p>	<p>Duct tower union extension in grey color, for connecting two vertical grey towers together. Best for condo sleepers to get the cold air "up high".</p> <p>If you want black color, P/N 060-00646</p>
<p>DUCT TOWER ADAPTOR 90 DEGREE ELBOW-GREY</p>  <p>P/N 060-00768</p>	<p>Connector piece in grey color for the vertical grey duct towers.</p> <p>Also available in black (P/N 060-00647)</p>
<p>BELT TENSIONER TOOL</p>  <p>P/N 070-01036</p>	<p>Makes changing a belt easy by locking onto the spring tensioner so you can release the tension for belt removal.</p>
<p>STEP KIT STANDARD</p>  <p>P/N 087-00290</p>	<p>The step tread is diamond plate aluminum with punched holes.</p>

<p>GENERATOR BOX LID</p>  <p>087-00377</p>	<p>Mistakes do happen, drivers sometimes forget to put it back on or even drive over them! This is the replacement part.</p>
<p>DIAGNOSTIC TROUBLESHOOT TOOLS. (For dealers)</p>  <p>P/N 093-00730</p>	<p>Mechanics love these two tools, and every dealer should purchase them. These modules simply plug into the main wiring harness by uncoupling a few Packard connectors. Saves time by enabling mechanic to start/stop APU right on the shop flo or without jumping in and out of the truck to start it. The second tool is a water valve/air purge device to burp the air out of the coolant.</p>
<p>FOOTSTEP (PREMIUM) STEP KIT</p>  <p>P/N 093-00746</p>	<p>This add-on accessory quickly makes the APU box enclosure a step box for access up to the catwalk, or into the cab if the box is mounted under the door. Has the “Serrated Grip” Tread Pattern</p>
<p>SIDE DISCHARGE EXHAUST KIT (for car carrier application)</p>  <p>P/N 093-00753</p>	<p>This kit contains the parts and instructions for converting a standard vertical exhaust port coming out the bottom of the box to a “side” discharge method. Perfect for low ground clearance trucks like car carriers who need every inch of height possible. Kit includes a side elbow, instructions, and template for drilling the hole in the side of the aluminum box. This kit it best applied <u>BEFORE</u> the power section is mounted on the truck chassis.</p>
<p>70 AMP RELAY RETRO KIT</p>  <p>P/N 093-00765</p>	<p>Green Label 70 AMP Relay and wire harness (R eplaces 50 AMP relay RED)</p>
<p>IGNITION DISABLER KIT</p>  <p>P/N 093-00766</p>	<p>This kit is available for fleet owners who wish to disable the APU when the main truck engine is running. Either the truck engine runs OR the APU. Not both. Comes with instructions. Install time is approx 1-2 hours</p>

<p>NOISE REDUCTION KIT P/N 093-00780</p> 	<p>This kit contains the parts and instructions for making pre-June 2007 APU's quieter. The kit removes the older metal style air filter canister and replaces it with a new plastic one located on the right side of the box. The brass remote oil pump is also eliminated making room available for the air filter. Holes need to be drilled in the box for air intake. Kit comes with a new style muffler, oil orifice fitting, a foam/aluminum sound blanket that bolts to the bottom of the box, clamps and new air filter parts. Depending on the truck, installation time is approx. 3 hours.</p>
<p>"T"- TYPE WATER VALVE KIT</p>  <p>P/N 093-00796</p>	<p>New style water valve KIT for units built after March 2008. Replaces the old style valve (p/n 034-00135 with linkage and two servo motors). This is the entire kit with mounting hardware.</p>
<p>IN-LINE FUEL FILTER/WATER SEPARATOR (RETRO KIT)</p>  <p>P/N 093-00802</p>	<p>New for 2008. This larger spin-on fuel filter goes "in line" between the truck fuel tank and the APU fuel pump. Has a water drain pet cock to get rid of unwanted water in the fuel. The recommended change out of the fuel filter is done at the same time as the oil filter. Replaces the older, smaller version made of plastic. Crosses to Wicks Part Number #33002 or Purolator F20011</p>
<p>HIGH PERFORMANCE AIR FILTER KIT (RETRO KIT)</p>  <p>P/N 093-00803</p>	<p>This kit upgrades the 2007 models with plastic air filter housing to include the pleated paper filter for superior air filtration. This kit includes 3 filter elements and the wire mesh screen to keep the paper filter in place. 1/grey foam, 1/white foam, 1/pleated paper element & wire mesh support screen. Foam elements are washable.</p>
<p>REMOTE OIL PUMP DELETE KIT</p>  <p>P/N 093-00807</p>	<p>This kit allows the removal of the remote oil pump on older units (pre-April 2007) to use the new "orifice" method of oil filtration. Does not include any noise reduction parts. The result will be the same 500 hour oil service intervals, but uses the factory Kubota oil pump already on each engine to move oil through the system. Approximate installation time is 1 hour.</p>
<p>AUTO START RETRO-KIT P/N 093-00814</p>	<p>Coming soon</p>